



MLFB-Ordering data: **1LE1003-0EA02-2AA4-Z**  
H03

Motor type: **1AV3090A**

Client order no.:

Item no.:

Order no.:

Consignment no.:

Offer no.:

Project:

Remarks:

U [V]	Δ/Y	f [Hz]	P [kW]	P [hp]	I [A]	n [1/min]	M [Nm]	NOM. EFF at ... load [%]			Power factor at ... load			I <sub>A</sub> /I <sub>N</sub> I <sub>A</sub> /I <sub>N</sub>	M <sub>A</sub> /M <sub>N</sub> T <sub>f</sub> /T <sub>N</sub>	M <sub>k</sub> /M <sub>N</sub> T <sub>B</sub> /T <sub>N</sub>	IE-CL
								4/4	3/4	2/4	4/4	3/4	2/4				
230	Δ	50	1.50	- / -	5.20	2910	4.9	84.2	84.6	83.2	0.86	0.80	0.69	8.1	2.7	4.2	IE3
400	Y	50	1.50	- / -	3.00	2910	4.9	84.2	84.6	83.2	0.86	0.80	0.69	8.1	2.7	4.2	IE3
460	Y	60	1.75	- / -	2.95	3510	4.8	85.5	85.6	84.0	0.87	0.82	0.72	8.7	2.6	4.2	IE3
460	Y	60	1.50	- / -	2.60	3525	4.1	85.5	84.8	82.3	0.84	0.77	0.66	9.8	3.1	4.9	IE3
IM B3 / IM 1001		FS 90 S		15 kg	IP55	CC032A	IEC/EN 60034		IEC, DIN, ISO, VDE, EN								

Mechanical data		Terminal box	
Sound pressure level 50Hz/60Hz (load)	65 dB(A)   69 dB(A)	Terminal box position	top
Moment of inertia	0.0021 kg m <sup>2</sup>	Material of terminal box	Aluminium
Bearing DE   NDE	6205 2Z C3   6004 2Z C3	Type of terminal box	TB1 E00
Bearing lifetime	40000 h	Contact screw thread	M4
Lubricants	Esso Unirex N3	Max. cross-sectional area	1.5 mm <sup>2</sup>
Regreasing device	No	Cable diameter from ... to ...	9.0 mm - 17.0 mm
Grease nipple	- / -	Cable entry	1xM25x1,5
Type of bearing	Preloaded bearing DE	Cable gland	1 plug
Condensate drainage holes	Yes	<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>Special design</b>                      H03      Condensation drain holes in end shield                 </div>	
External earthing terminal	No		
Vibration class	A		
Insulation	155(F) to 130(B)		
Duty type	S1		
Direction of rotation	bidirectional		
Frame material	aluminum		
Data of anti condensation heating	- / -		
Coating	Standard paint finish C2		
Color	RAL7030		
Motor protection	(A) without (Standard)		
Method of cooling	IC411 - self ventilated, surface cooled		

Environmental conditions	
Ambient temperature	-20 °C - +40 °C
Altitude above sea level	1000 m

